Snow Clearance/icy conditions - Generic Risk Assessment

| School Name: Glascote Academy | | | Decide who may be harmed (insert ✓): | | | | | | | |
|---|---------------------------|---|---|------------------|----------------------|----------|--|----------|------------|-------------------------------------|
| | | | Student | ✓ | Contra | ctors | | √ | Visitors | ✓ |
| Location/year groups (if applicable): School site – playgrounds, pathways, car park | | | Staff | V | Vulnera | able Pe | People / | | Volunteers | ✓ |
| Identified Hazards | Initial Risk Rating | Existing Control Measu | res (select all that are in | n place) | ✓ Actions / Comments | | | | | Residual Risk Rating H/M/L |
| Storage of salt/grit (Environmental damage due to leaks) | М | Salt/grit to be securely stored by S | securely stored by Site Manager ✓ | | | | | | L | |
| Carrying of salt/grit (Manual handling) | Н | Manual handling training provided Salt to be transported by vehicle o Salt spreading to be carried out us possible/where necessary. | r wheelbarrow where p | | 9 | ~ | See n | L | | |
| Gritting – physical damage to property | M | Excess use of salt/grit should be avoided. Site Manager should to identify any areas where extra care is required. | | | | ✓ | See Covid gritting plan – appendix within Snow and Ice Policy 2020 to 2021 | | | L |
| Snow clearance | Н | Prior to snow clearing, route to be walked and assessed to identify where there is open space into which snow can be deposited. Cleared snow should not obstruct access to property, or be piled up against trees, vehicles etc. Always clear snow prior to gritting if possible. A pathway of at least 1m wide should be cleared to allow access for pushchairs and wheelchairs | | | | | | L | | |
| Cold / wet weather including poor visibility | M | Site Manager responsible for ensu advised to wear gloves, scarves, h Site Manager provided with mobile instructed to keep in regular contact. | at, coats, suitable foot phone (and walkie tal | wear kie) and | | * | | | | L |

| Slips, trips & falls due to ice or compacted snow | Н | Site Manager should ensure they clear away all equipment and leave the area safe with no trip hazards. | ✓ | | М |
|---|---|---|----------|-------------------|---|
| | | Snow should be removed using a suitable snow scraper or shovel. | | | |
| | | Snow should not be brushed and water should not be used to clear snow or ice as it will create black ice. | | | |
| | | Staff, parents, visitors, pupils to be vigilant about snow or ice | | | |
| | | Designated disabled car parking area should be cleared and made safe | | | |
| | | Regular checks to be made during the day to ensure re-freezing or further snow coverage has not occurred | | | |
| Communication – staff, parents, visitors | M | Site Manager to instruct/inform staff or visitors about condition of car park – ice Site Manager to instruct/inform parents, visitors about condition of playground upon opening gates Staff on gate duties to remind children and parents to proceed with caution Staff to instruct pupils about snow/ice and how to conduct themselves for theirs and others safety If weather results in school closure, school text service to be used to communicate to parents and staff | √ | RAN 9; H&S policy | L |

Risk Rating Guidance: H= High M= Medium L= Low TBA = To Be Assessed - Assessment of the likelihood and or impact of injury and or damage. Initial assessment has been undertaken, complete the residual assessment based on your control measures/findings/additional actions etc.

| mae been amaentamen, compre | | | icasarcs/iirairigs/additional actions | | | | | | |
|--|---|-----------------|---------------------------------------|------------------------|--|--|--|--|--|
| Other Hazards Identified | Additional Control Measures to be Put in Place | | | | | | | | |
| Any other foreseeable hazards that are associated with the activities being carried out to be listed here. | Where you have identified other hazards record the additional control measures you are going to put in place to mitigate these below: | | | | | | | | |
| Date of Assessment: | Autumn 2020 | Carried out by: | Michelle Powell/Bill Burdett | Signature: M.J. Powlu | | | | | |
| Date of next review: | Autumn 2021 | Carried out by: | | Date Review Completed: | | | | | |
| Also refer to these other relevant risk assessments or safety advice documents: | Slips, trips and fa RAN 9 H&S policy See Covid gritting | | thin Snow and Ice Policy 2020 to | 2021 | | | | | |